GU10 PAR16 7W (68W) 4000K 540Im Dimmable Lamp 55 deg Beam Angle

Partcode: ILGU10DE101 / Page: 1



This GU10 lamp offers a wider beam angle of 55 degrees, which will cover a larger area in light with fewer lamps than other GU10 spotlights. The LEDs are specially arranged for a COB-like effect, which paired with the diffuser lens creates a light quality very similar to traditional halogen spotlights.

Product Details

Partcode: ILGU10DE101 Check Code: 881146 Range Name: 56 deg Beam Angle Placement / Application: Indoor, General Lighting Market Segment: Commercial indoor, Residential indoor Product Type: GU10 Warranty: 2 Years CE / RoHS: Yes

Physical Data

Base Type: GU10 Base Colour: Matt white Product Finish: Matt white Spot Type: SMD with "COB like effect" Optic: Designed to give a Classic Look Material: Plastic and Aluminium heat-sink, Injection moulded diffuser Construction: Plastic White and "Classic look" difuser lens

www.integral-led.com

Partcode: ILGU10DE101 / Page: 2

Physical Data

Length: 54mm Width: 50mm Weight (Unpackaged Single Unit): 50g Lamp or Luminaire Shape: Round Lamp Fixing: Downlight

Electrical Data

Voltage Range: 220-240V Power Consumption: 7.0 Watts Driver included: Yes Electric Current: AC Ampage: 34.00mA Frequency Range: 50/60 Hz Power Factor: >=0.80 Wattage Equivalent: 68 Watts Dimming: Dimmable with compatible dimmers LVD Certified: Yes EN: EN-62560


Light Data

Useful Lumens: 480lm (Rated luminous flux in a 90° cone) Lumens: 540lm Lumens per Watt: 77.0lm/W Peak Intensity: 600Cd Beam Angle: 55° Correlated Colour Temperature (CCT): 4000k Colour Temperature: Cool White Colour Rendering Index (CRI): >=80 LED Type: Surface mounted device (SMD) LED Size: 2835 Instant on - Less than 1 second: Yes Lifetime: 15,000 hrs Switching Cycles: >7,500 X



Partcode: ILGU10DE101 / Page: 3

Environmental



Energy Rating: A+ Lowest Operating Temperature: -20 degrees Maximum Operating Temperature: 40 degrees IP (Ingress Protection) Rating: IP20 Hg 0% (Mercury Free): Yes

Packaging



EAN Barcode (unit of 1): 5055788237211 Outer packaging info available on website

Product data last updated on: Wednesday, September 11, 2019 - 17:10

www.integral-led.com