

E993RGB Walkover Quartz Recessed RGB - 24v DC - Uplight

Quartz walkover RGB light for striking lighting effects on walls, shrubs, small trees and low level architectural features. Using Red, Green and Blue LEDs these fittings can be controlled to use individual colours or an array of colours, smoothly changing at different cycle speeds using Light Symphony Colour LED Controller or a DMX controller.



PHYSICAL DATA

- Top constructed from 304 grade stainless steel
- Cast aluminium body
- Quartz borosilicate glass lens
- Plastic soil sleeve
- IP67
- Operating temperature of lens less than 40°C
- Lens withstands 20Kn force
- 100mm diameter x 55mm deep

ELECTRICAL DATA

- 24v – requires power from a suitable 24volt DC power supply
- 3.5w
- 3 x 1w LED's
- 30° beam angle
- 250 Lumen output
- Full RGB colour spectrum – Requires control from Light Symphony LED Controller or DMX controller
- Pre-fitted cable. 1m two core (1.5mm²) H07RN-F Power & 1m two core (1.0mm²) Data cable to junction box. 1m cable between junction box and light fitting.

INSTALLATION

Direct burial in the ground. Prewired with cable and IP68 gland. Cable connections can be made using a T9962 Cable Joint Kit, a T9966 IP68 in-line connector or any IP rated junction box. Provide 300mm depth of shingle drainage below the uplight: do not use in waterlogged ground.

COMPLIANCE & WARRANTY

- 2 year warranty
- CE / RoHS Compliant

