







## ENOLA\_C POLE

outdoor floor stand, LED, 3000K, IP55, anthracite, 35°

Article number	228545
Product family	ENOLA C
Feed-in capability	No
Lamp included	No
Tilt range	45 Degree
Length	18.7 cm
Width	12 cm
Height	51 cm
Net weight	2.451 kg
Gross weight	3.156 kg
Voltage	100-240V ~50/60Hz sec. 500mA
Protection class	II
IP-rating	IP 55
Beam angle	35 Degree
Average lifespan	30000 Hours
Colour temperature	3000 Kelvin
Colour rendering index	80
Luminous flux	800 lm
Energy efficiency class	A++
Colour	anthracite
Form	square
Light distribution type 1	direct
Light distribution type 2	rotational symmetric
Material	Aluminium/glass





#### Articles of this series

143941	ENOLA_C spot for 240V 1-phase track, LED, 3000K, round, matt white, 35°, 11.2W, incl. 1-phase adapter
143944	ENOLA_C spot for 240V 1-phase track, LED, 3000K, round, silver-grey, 35°, 11.2W, incl. 1-phase adapter
143951	ENOLA_C spot for 240V 1-phase track, LED, 3000K, round, matt white, 55°, 11.2W, incl. 1-phase adapter
143954	ENOLA_C spot for 240V 1-circuit track, LED, 3000K, round, silver-grey, 55°, 12W, incl. 1-circuit adapter
152101	ENOLA_C, ceiling light, LED, 3000K, round, white, 35°
152111	ENOLA_C SPOT, ceiling light, LED, 3000K, round, white, 35°
152420	ENOLA_C, spot for 240V 3-phase track, LED, 3000K, round, black, 35°, 11.2 W, incl. 3-phase adapter
152421	ENOLA_C, spot for 240V 3-phase track, LED, 3000K, round, white, 35°, 11.2 W, incl. 3-phase adapter
152424	ENOLA_C, spot for 240V 3-phase track, LED, 3000K, round, silver-grey, 35°, 11.2 W, incl. 3-phase adapter
152430	ENOLA_C, spot for 240V 3-phase track, LED, 3000K, round, black, 55°, 11.2 W, incl. 3-phase adapter
152431	ENOLA_C, spot for 240V 3-phase track, LED, 3000K, round, white, 55°, 11.2 W, incl. 3-phase adapter
152434	ENOLA_C, spot for 240V 3-phase track, LED, 3000K, round, silver-grey, 55°, 11.2 W, incl. 3-phase adapter
152460	ENOLA_C, spot for 240V 3-phase track, LED, 3000K, round, black, 35°, 20.5 W, incl. 3-phase adapter
152461	ENOLA_C, spot for 240V 3-phase track, LED, 3000K, round, white, 35°, 20.5 W, incl. 3-phase adapter
152464	ENOLA_C, spot for 240V 3-phase track, LED, 3000K, round, silver-grey, 35°, 20.5 W, incl. 3-phase adapter
152470	ENOLA_C, spot for 240V 3-phase track, LED, 3000K, round, black, 55°, 20.5 W, incl. 3-phase adapter
152471	ENOLA_C, spot for 240V 3-phase track, LED, 3000K, round, white, 55°, 20.5 W, incl. 3-phase adapter
152474	ENOLA_C, spot for 240V 3-phase track, LED, 3000K, round, silver-grey, 55°, 20.5 W, incl. 3-phase adapter
228501	ENOLA_C, outdoor ceiling light, LED, 3000K, IP55, round, white, 35°

228505	ENOLA_C, outdoor ceiling light, LED, 3000K, IP55, round, anthracite, 35°
228511	ENOLA_C, outdoor wall light, LED, 3000K, IP55, round, white, Ø/H 10/11.8 cm, 35°
228515	ENOLA_C, outdoor wall light, LED, 3000K, IP55, round, anthracite, Ø/H 10/11.8 cm, 35°
228521	ENOLA_C, outdoor wall light, LED, 3000K, IP55, round, up/down, white, Ø/H 10/23.2 cm
228525	ENOLA_C, outdoor wall light, LED, 3000K, IP55, round, up/down, anthracite, Ø/H 10/23.2 cm
228531	ENOLA_C, outdoor display fitting, LED, 3000K, IP55, round, white
228535	ENOLA_C, outdoor display fitting, LED, 3000K, IP55, round, anthracite
1000631	ENOLA_C, ceiling light, LED, 2000K-3000K Dim to Warm, white
1000711	ENOLA_C, spot for 1-circuit high-voltage track, LED, 3000K, black, 35°, incl. 1-circuit adapter
1000712	ENOLA_C, spot for 1-circuit high-voltage track, LED, 3000K, black, 55°, incl. 1-circuit adapter
1002154	ENOLA_C CL, LED Outdoor surface-mounted ceiling light, anthracite, IP55, 2000-3000K

The puristic ENOLA\_C OUT POLE floor stand is fitted with a tiltable lamp head and a warm white, premium COB LED. By the incorporated LED driver, the electrical connection of the luminaire is made directly to 230V mains supply.

## Notes

---



---



---