


MYRA 2

outdoor spike luminaire, double-headed, LED GU10 51mm, IP44, silver-grey, 18W

Article number	233184
Product family	MYRA
Feed-in capability	No
Lampholder / Socket	GU10
Number of light sources	2
Lamp included	No
Tilt range	45 Degree
Rotation range	340 Degree
Width	25 cm
Height	30.5 cm
Net weight	1.078 kg
Gross weight	1.479 kg
Voltage	220-240V ~50/60Hz
Max. wattage	4 Watt
Protection class	II
IP-rating	IP 44
Energy efficiency class	A++
Lamp	LED GU10 51mm
Colour	Silver-grey
Light distribution type 1	direct
Material	Aluminium
Type of plug	open cable end



Articles of this series

233094	MYRA WALL, outdoor wall and ceiling light, double-headed, QPAR51, IP55, silver-grey, max.100W
233095	MYRA WALL, outdoor wall and ceiling light, double-headed, QPAR51, IP55, anthracite, max.100W
233104	MYRA WALL, outdoor wall and ceiling light, single-headed, QPAR51, IP55, silver-grey, max. 50W
233105	MYRA WALL, outdoor wall and ceiling light, single-headed, QPAR51, IP55, anthracite, max. 50W
233114	MYRA, outdoor wall light, QPAR51, IP55, up/down, silver-grey, max. 70W
233115	MYRA, outdoor wall light, QPAR51, IP55, up/down, anthracite, max. 70W
233124	MYRA DISPLAY, outdoor wall light, QPAR51, IP55, silver-grey, rigid, max. 50W
233125	MYRA DISPLAY, outdoor wall light, QPAR51, IP55, anthracite, rigid, max. 50W
233134	MYRA DISPLAY, outdoor wall light, QPAR51, IP55, silver-grey, convex, max. 50W
233135	MYRA DISPLAY, outdoor wall light, QPAR51, IP55, anthracite, convex, max. 50W
233174	MYRA1 , outdoor spike luminaire, single-headed, LED GU10 51mm, IP44, silver-grey, 4.5 W
233175	MYRA1 , outdoor spike luminaire, single-headed, LED GU10 51mm, IP44, anthracite, 4.5W
233185	MYRA 2 , outdoor spike luminaire, double-headed, LED GU10 51mm, IP44, anthracite, 18 W

With the double-headed, aluminium-made lamp head MYRA 2, both spots are adjustable. Thanks to its IP44 protection class, the luminaire is suitable for outdoor use. The luminaire is connected to the 230V mains supply. With the accessories available such as extension rod, stand base and earth spikes, the luminaire is freely configurable. Concrete anchor sets and hanger bolt sets are available as optional mounting accessories. The MYRA series includes other wall luminaires as well as display fittings and can therefore be used universally. This luminaire is compatible with bulbs of the energy classes: A - A++

Notes

